


CODE

MULTI2

## MULTI OUTDOOR PARK 2



RAL 7016/9006

### PRODUCT DESCRIPTION

**MULTI OUTDOOR PARK 2** is equipped with 9 horizontal bars (L= 1,25m, 2m, H= 1,6m-2,3m), stick with snake (L=2 m, H=2.1 m), hand rails to pole (H=1.1 m), punching bag (L=2 m, H=1.6 m), single rope (H=2.5 m)

The set is **enhanced with fitness devices: rider, leg stretcher, surfer, push chair**. The structure is designed for users of different ages, promoting both calisthenics and strength training.

### SUPPORTING STRUCTURE

Main steel profile 80 × 80 mm with a wall thickness of 3 mm, ensuring both static and dynamic stability of the set.

### BAR SYSTEM

Steel pipes with diameters Ø60.3, Ø42.4, Ø33.7 mm and wall thickness of 3.2 mm, providing optimal grip and durability.

### ANTI-CORROSION PROTECTION

Two-stage process: epoxy primer and polyester topcoat. Laboratory-tested powder coating technology with increased corrosion resistance:

### KEY SPECIFICATIONS

HIC MAX:	150 cm
DIMENSIONS	1170 x 612 x 250 cm
SAFETY ZONE	14,7 x 9,12 m
USER HEIGHT	>140 CM
MAX USER WEIGHT	150 kg
TOTAL SURFACE	134 m <sup>2</sup>

### FINISHING DETAILS

Corrugated aluminum steps, rubber shock-absorbing bumpers, seats made of UV-resistant HDPE boards, and handles compliant with REACH standards.

### INSTALLATION AND FOUNDATIONS


Installation on B25 concrete foundations with a minimum depth of 50 cm.

### ADDITIONAL INFORMATION

Durable TRAINER logo and manufacturer plate with the device serial number. Compliance with standard: EN 16630:2015-06


CODE  
**MULTI2**

## SAFETY ZONE



CODE  
**MULTI2**


## INSTALLATION



CODE

MULTI1

HEIGHT



CODE

MULTI1

HEIGHT

