


CODE

MULTI3

MULTI OUTDOOR PARK 3



PRODUCT DESCRIPTION

MULTI OUTDOOR PARK 3 is equipped with 14 horizontal bars (L= 1,25m-2,55m, H= 1,6m-2,2m), Stick with handle (L=2 m, H=1.85 m), Stick with snake (H=1.95 m), Gymnastic rings (H=2.5 m), Horizontal ladder (L=2 m, H=2.2 m), Ladder with boom (H=2.5 m), Multiring, Tarzan lianas (L=3.2 m, H max = 2.4 m), Wheels (L=2 m, H=1.9 m)

The set includes 8 fitness machines that are attached to the pylon: **Surfer, Rower, Rider Cross trainer, Air walker, Leg press, Push chair, Lower press.** It's perfect for strength and obstacle course training.

SUPPORTING STRUCTURE

Main steel profile 80 × 80 mm with a wall thickness of 3 mm, ensuring both static and dynamic stability of the set.

BAR SYSTEM

Steel pipes with diameters $\phi 60,3$, $\phi 33,7$, $\phi 26,9$ mm and wall thickness of 3.2 mm and 2.3 mm, providing optimal grip and durability.

ANTI-CORROSION PROTECTION

Two-stage process: epoxy primer and polyester topcoat. Laboratory-tested powder coating technology with increased corrosion resistance:

KEY SPECIFICATIONS

HIC MAX:	150 cm
DIMENSIONS	1462 x 707 x 260 cm
SAFETY ZONE	17,62 x 10,07 m
USER HEIGHT	>140 CM
MAX USER WEIGHT	150 kg
TOTAL SURFACE	177,40 m ²

FINISHING DETAILS

Corrugated aluminum steps, rubber shock-absorbing bumpers, seats made of UV-resistant HDPE boards, and handles compliant with REACH standards.

INSTALLATION AND FOUNDATIONS


Installation on B25 concrete foundations with a minimum depth of 50 cm.

ADDITIONAL INFORMATION

Durable TRAINER logo and manufacturer plate with the device serial number. Compliance with standard: EN 16630:2015-06


CODE
MULTI3

SAFETY ZONE



CODE
MULTI3


INSTALLATION



CODE

MULTI3

HEIGHT



CODE

MULTI3

SET INCLUDES:

